

# INDIVIDUAL AND SUSTAINABLE SELF-ADHESIVE MATERIAL SPECIALTIES







INNOVATIVE. FLEXIBLE. VERSATILE.




VPFine	Ę
PRINT BASE – PAPERS	6
PRINT BASE – FILMS	10
ADHESIVES	19
RELEASE LINERS	22
CONTRACT COATINGS	21

### VPF - AN EXPERT PROBLEM SOLVER FOR SELE-ADHESIVE SPECIALTIES

Based at our current location in Sprockhoevel, Germany, we have been developing innovative, individual solutions for self-adhesive paper and film applications of all kinds for our customers since 1967 – successfully and dynamically growing – in uncompromisingly excellent quality, with a high degree of flexibility, low minimum quantities, providing full service at competitive prices. For this purpose. we use our unique "VPF modular system", whereby we combine approx. 500 face materials with some 30 adhesives and around 25 release liners with varving release values exactly in accordance with the customer's individual wishes and requirements. Should this not be enough for a specific application, we can also customise new materials or change the adhesive application weights for you.

As a printing substrate we offer all types of paper / cardboard, PE / PP / PET films, a very large inkjet and laser range, sustainable printing materials, security materials from 200 m<sup>2</sup> (VOID, CHECKERBOARD, destructible, splittable, etc.), extremely long-lasting durable materials, tyre adhesion materials with the market-established adhesive HM 371 F, opaque and aluminium-reversed coated as well as metallised and holographic materials – and many more.



We specialise in non-standard self-adhesive materials and coat permanent as well as removable special self-adhesives (emulsion acrylics, conventional hot melts and UV acrylics) on currently three coating lines. Even from a small minimum quantity, we change adhesive application weights, dye adhesives opaque or coloured and equip composites with alue-free zones to suit the customer. UL-listed materials, seawater-resistant self-adhesive materials, dry-peel solutions, multi-layer self-adhesive materials and contract coatings complete our portfolio. We are self-adhesive material experts – take advantage of our creativity, problem-solving ability. low minimum quantities and our passion for the perfect self-adhesive product.

Come and simply challenge us!









## SUSTAINABLE MATERIALS FOR SELF-ADHESIVE MATERIALS

Protecting the environment and using resources economically have become indispensable in today's modern industrial cycle. As a result, VPF has been registering a steadily increasing demand for more sustainable packaging solutions in the self-adhesive material business for some time now.

Sustainable face materials have therefore been qualified in extensive test coatings, and can now be combined with different adhesives and release liners in accordance with the VPF modular system.

The new face materials equally include paper- and film-like solutions for all printing processes.

PAPERSFILMSLINERSPage 6Page 14Page 23













VPFi	ne 🥩		
ART. NO.	DESCRIPTION	GRAMMAGE THICKNESS	PRINTABILITY
	PAPERS		
2040	Machine coated paper	40 g	conventionell, TTR*
2060	Machine coated paper	60 g	conventionell, TTR*
4470165	Thermal paper top	60 g	thermal direct, TTR*
12324	Laser-/Inkjet paper satin-finished	65 g	conventional
4470579	Thermal paper top, clean blue	70 g	thermal direct
1393299	Inkjet paper matt	70 g	dye, pigment, memjet
	FILMS		
70877	rPET laminating film transparent glossy TC (90% PCR)	12 µ	conventional, TTR*
70737	PET laminating film transparent glossy UV-protection NTC	19 µ	conventional, TTR*
60123	PP film transparent glossy NTC	30 μ	conventional
60553	PP film white glossy NTC	30 μ	conventional
70747	PET film transparent glossy pretreated	36 µ	conventional, TTR*
70355	PET film white glossy pretreated	36 µ	conventional, TTR*
60217	PP film white glossy TC	36 μ	conventional, TTR*
71313	HDPE film transparent glossy NTC	40 μ	conventional, TTR*
60214	PP film white glossy NTC	40 μ	conventional, TTR*
60350	PP film transparent glossy TC	50 μ	conventional, TTR*
60853	PP Film silver glossy TC	50 μ	conventional, TTR*
60279	PP film white glossy solid TC, Food Contact	50 μ	conventional, TTR*
70428	Inkjet rPET film transparent glossy (90% PCR)	50 μ	dye, pigment, memjet
60960	Inkjet PP film white glossy ECO	55 µ	dye, memjet
	LINERS		
B480	Glassine paper yellow (15% PCR)	48 g / 43 μ	one-sided siliconized, super-calendered, roll liner
B560	Glassine paper yellow and white	56 g / 49 μ	one-sided siliconized, super-calendered, roll liner
NSA500	Kraft paper	50 g / 58 μ	one-sided siliconized, manual dispensing, roll liner
rPET23	PET film transparent tear-proof (90% PCR)	32 g / 23 μ	one-sided siliconized, high-speed, no-label-look

<sup>\*</sup> TTR = Thermal transfer printing

	PRINT BASE – PAPERS									
	ART. NO.	DESCRIPTION	SURFACE	GRAMMAGE						
		UNCOATED PAPERS								
new	100886	Transparent paper	matt	35 g						
new	10496	Transparent paper	matt	60 g						
	1080	Vellum, calendered	matt	74 g						
new >	10843			100 g						
	40111	Gmund White Wood (embossed wood structure)*	matt	100 g						
	10120	Vellum, calendered	matt	120 g						
	10170	Board, calendered	matt	170 g						
	10250	Board, calendered	matt	250 g						
		* Other Gmund papers on request.								
		COATED PAPERS								
	2040	Machine coated paper	semi-glossy	40 g						
	2060	Machine coated paper	semi-glossy	60 g						
	2070726	Machine coated paper, without optical brightener	semi-glossy	70 g						
	2070338	Machine coated paper, with optical brightener	semi-glossy	70 g						
	30588	Cast coated paper	glossy	78 g						
	2080	Machine coated paper	semi-glossy	80 g						
new	2090620	Machine coated paper, back side dark blue	semi-glossy	90 g						
	2091	Machine coated paper	semi-glossy	90 g						
	2091326	Machine coated paper, glossy, back side silver	glossy	90 g						
	2096	Machine coated paper	matt	90 g						
	20842	OGR paper (TE-Coat), coated, oil and grease resistant	matt	90 g						
	20598	Machine coated paper, wet and alkali resistant	matt	90 g						
	20115	Machine coated paper	semi-glossy	115 g						
	20160	Machine coated board	semi-glossy	160 g						
	20190	Machine coated board	matt	190 g						
	20666	Machine coated board	matt	350 g						
		SUSTAINABLE PAPERS								
new	10662	Silphia paper (35 % Silphia fibre rate)	matt	70 g						
new >	10711	Soda recycled paper brown ribbed (100 % recycled)	matt	70 g						
new >	10724	Soda recycled paper brown (100 % recycled)	matt	70 g						
	10930	Bagasse paper, beige (basis: plant waste)	matt	70 g						

new >	2070387	Machine coated paper, wet- and alkali-resistant (100 % recycled)	semi-glossy	70 g
	20989	Grass paper, pretreated	matt	70 g
new	4470579	Thermal paper Top, clean blue	matt	70 g
new >	4470776	Thermal paper Top, 100 % recycled	matt	70 g
new >	4470854	Thermal paper Top, 100 % bagasse	matt	75 g
new >	1353951	Recycled paper white (100% recycled)	matt	80 g
new >	10893	Bagasse paper white (basis: plant waste)	matt	90 g
new >	10945	Grass paper	matt	90 g
new >	10756	Recycled paper black (100% recycled)	matt	90 g
new >	10442	CoffeeCup Paper® (100 % recycled)	matt	100 g
new >	10555	Hemp paper (100% hemp)	matt	120 g
		INKJET PAPERS		
	12324	Laser- / Inkjet paper satin-finished	matt	65 g
	1393299	Inkjet paper	matt	70 g
	1470762	Thermal paper ECO, inkjet printable	matt	73 g
	1353951	Recycling inkjet paper (100 % recycled)	matt	80 g
new >	8093594	Inkjet paper	high-glossy	90 g
	1393450	Inkjet paper, premium coated	matt	92 g
	8093309	Inkjet paper	high-glossy	95 g
	8093697	Inkjet paper	semi-glossy	95 g
	1393264	Inkjet paper	matt	100 g
	1393913	Inkjet paper	matt	136 g
	8093710	Inkjet cardboard	high-glossy	245 g
		LASER PAPERS		
	12324	Laser paper satin-finished	matt	65 g
	20989	Grass paper, laser suitable	matt	70 g
	12333	Laser paper satin-finished, back side blue	matt	76 g
	23180	Fluorescent paper, orange, laser suitable	matt	78 g
	25180	Fluorescent paper, yellow, laser suitable	matt	78 g
	26180	Fluorescent paper, green, laser suitable	matt	78 g
	28180	Fluorescent paper, red, laser suitable	matt	78 g

#### **DURABLES**

For the extreme and permanent use of labels, regardless of in- or outdoor use, we offer a carefully selected range of hard-wearing, durable and high tack adhesive materials from a small minimum order quantity. Be it for conventional printing, inkjet printing, laser printing or subsequent thermal transfer printing – VPF has the ideal solution for your application.

All materials are defined by very high initial and final adhesion values as well as good printability, durability and thermal resistance. This makes them ideal and perfectly applicable for type plates and labels – for example on electronic or automotive components, household goods, chemical casks, for GHS requirements, battery and photovoltaic technology, gardening tools and much more. Some of our products are seawater resistant according to BS 5609, Sect. 2 and 3; some other are UL listed.



	COLOURED DARFIC		
	COLOURED PAPERS		
23180	Fluorescent paper, orange	matt	78 g
25180	Fluorescent paper, yellow	matt	78 g
26180	Fluorescent paper, green	matt	78 g
28180	Fluorescent paper, red	matt	78 g
1580235	Vellum, yellow	matt	80 g
1680237	Vellum, green	matt	80 g
1780410	Vellum, blue	matt	80 g
1880418	Vellum, red	matt	80 g
	DIRECT THERMAL		
4470165	Thermal paper Top	matt	60 g
4470579	Thermal paper Top, clean blue	matt	70 g
1470717	Thermal paper ECO, non topcoated	matt	72 g
1470762	Thermal paper ECO, inkjet printable	matt	73 g
1470638	Thermal paper Top	matt	75 g
60741	Thermal PP film white	matt	80 µ
60228	Thermal PP film transparent	matt	80 µ
14735	Thermal paper Top, 60 g/m² fixed on PET film 12 $\mu$	matt	96 g
447012	Thermal paper ECO, non topcoated	matt	175 g
	PAPER-LAMINATED ALUMINIUM FOILS AND METALLISED PAPERS		
5060803	Paper-laminated aluminium foil silver	matt	82 g
5060804	Paper-laminated aluminium foil silver	glossy	82 g
2560311	Metallized paper silver	glossy	83 g
6460939	Metallized paper gold	glossy	83 g
	TYRE LABEL MATERIALS		
1470638	Thermal paper, Top	matt	75 g
20842	OGR paper (TE-Coat) coated, oil- and grease resistant	matt	90 g
14734	Thermal paper Top, 60 g/m $^2$ fixed on PET film 12 $\mu$	matt	96 g
5060803	Paper-laminated aluminium foil silver	semi-glossy	60 µ
60659	PP film white glossy with barrier	TC	60 µ
71095	Data special PE film white matt	Clay Coated	95 μ
	SPECIALTY PAPERS		
100899	Glassine paper	calendered	60 g

ART. NO.	DESCRIPTION	TC / NTC	THICKNESS
	PE FILMS		
71313	HDPE film transparent glossy	NTC	40 μ
71327	Data special PE film white matt	Clay Coated	73 µ
71869	HDPE film white semi-glossy, Valéron	NTC	75 µ
71221	PE film transparent glossy	NTC	78 µ
71378	PE film transparent glossy	TC	78 µ
71317	PE film white glossy	NTC	78 μ
71362	PE film white glossy	TC	78 µ
71942	PE film transparent matt	NTC	80 μ
71137	PE film white matt	TC	82 μ
71712	HDPE film white matt	NTC	90 μ
71095	Data special PE film white matt	Clay Coated	95 µ
71420	PE film white matt, opaque pink	NTC	105 μ
7170	Data special PE film white matt	Clay Coated	110 μ
7155	PE film white glossy	NTC	150 µ
7158	PE film white glossy	TC	150 μ
71864	HDPE film white semi-glossy, Valéron	NTC	165 µ
	PP FILMS		
60260	PP film transparent glossy	NTC	30 μ
60554	PP film white glossy	NTC	30 μ
60217	PP film white glossy	TC	36 μ
60214	PP film white glossy	NTC	40 μ
60857	PP diffraction film silver glossy "Sparkle"	TC	40 μ
60798	PP film transparent glossy	TC	40 μ
60789	PP film transparent glossy	TC	46 μ
60793	PP film white	TC	48 μ
60855	Holographic PP film rainbow glossy	TC	50 μ
60350	PP film transparent glossy	TC	50 μ
60853	PP film silver glossy	TC	50 µ
60279	PP film white glossy solid, Food Contact	TC	50 μ
60479	PP film transparent glossy	TC	60 µ
60849	PP film transparent matt	TC	60 µ
60659	PP film white glossy	TC	60 µ
60570	PP film white, back side silver	TC	60 µ
60422	PP film white matt, UV-stabilized	TC	60 µ
60741	Thermal PP film white matt	TC	80 µ
60228	Thermal PP film transparent matt	TC	80 µ
60946	Data PP film white matt	TC	80 µ
60926	PP film transparent glossy, UV-stabilized	NTC	90 µ



#### **INKJET**



	60839	PP film white glossy, UV-stabilized	TC	90 µ
now s	60796		TC	·
ilew		PP film white glossy  PP film white matt	TC	90 µ
now	60258	PP film white matt		92 µ
iiew.	00771	PET FILMS	NTC	200 μ
	7030	PET film gold matt	TC	25 µ
				·
	70747	PET film transparent glossy	pretreated	36 µ
	70355	PET film white glossy	pretreated	36 µ
	70473	PET film transparent glossy	pretreated	50 μ
	70232	PET film white glossy	pretreated	50 μ
_	70187	PET film silver glossy	TC	50 μ
new	70291	PET film gold glossy	TC	50 μ
new	70791	PET film titan matt	TC	50 μ
new	70605	rPET film white matt (25 % PCR)	TC	50 μ
	70287	PET film white matt	TC	55 μ
	70739	Special PET film white matt, chemresist	Dura TC	55 μ
new >	70065	Special PET film silver matt, chemresist	Dura TC	55 µ
	70760	PET film transparent glossy	TC	71 µ
	70584	PET film white glossy	pretreated	75 µ
	70630	PET film white glossy	pretreated	100 μ
	70871	PET film white glossy	pretreated	125 μ
	70721	PET film white glossy	pretreated	175 μ
new >	70589	PET mirror film silver glossy	pretreated	175 μ
new >	70191	PET film transparent glossy	pretreated	175 μ
		PVC FILMS		
	90100243	PVC film transparent glossy, polymer	NTC	50 μ
	93100107	PVC film yellow glossy	NTC	70 μ
new	93100543	PVC film black glossy or matt	NTC	70 μ
new	90100982	PVC film transparent "orange-peel"	NTC	90 µ
new >	9010071	PVC film transparent glossy	NTC	90 μ
	9310077	PVC film white glossy	NTC	90 μ
new >	9379	Rigid PVC film white matt	NTC	200 μ
		SPECIALTIES		
	5260841	Aluminium film silver glossy	TC	40 μ
	8040	Acetate film transparent glossy	NTC	50 μ
new	71239	Adhesive film transparent glossy	NTC	60 µ
	71563	Adhesive film white semi-glossy	NTC	120 μ
	200	Acetate silk white	NTC	160 μ
	1073	Tyvek white 75 g	NTC	210 μ

	LAMINATE FILMS		
70186	PET laminate film transparent glossy	NTC	12 µ
<b>7</b> 0737	PET laminate film transparent glossy UV-protection	NTC	19 µ
762086	PP film transparent glossy	NTC	20 μ
60705	PP film transparent glossy	TC	20 μ
<b>W</b> ► 60386	PP laminate film transparent matt	TC	20 μ
60873	PP laminate film "soft touch" matt	TC	21 μ
7990	PET film transparent glossy	pretreated	23 μ
<b>W</b> ▶ 70781	PET film transparent glossy	TC	23 μ
70224	PET film transparent matt	NTC	23 μ
<b>w</b> ► 70461	rPET film transparent glossy (90% PCR)	pretreated	23 μ
<b>W</b> ▶ 60888	PP film transparent matt sanded	TC	38 μ
<b>w</b> ▶ 60883	PP film transparent glossy, Leather look	TC	40 μ
	SUSTAINABLE FILMS		
<b>W</b> ▶ 70877	rPET film transparent glossy (90% PCR)	TC	12 μ
<b>W</b> ► 70461	rPET film transparent glossy (90% PCR)	pretreated	23 μ
60931	NatureFlex™ film white glossy	TC	42 μ
60750	NatureFlex™ film transparent glossy	TC	45 µ
<b>W</b> ► 60795	rPP film white glossy (55% PCR)	TC	50 μ
<b>W</b> ► 60831	rPP film transparent glossy (69% PCR)	TC	50 μ
<b>w</b> ▶ 70428	Inkjet rPET film transparent glossy (90% PCR)	pretreated	50 μ
<b>W</b> ▶ 70605	rPET film white matt (25% PCR)	TC	50 μ
<b>W</b> ► 70672	rPET film transparent glossy (90% PCR)	TC	50 μ
<b>W</b> ► 71786	rPE film white glossy (50% PCR)	TC	80 µ
<b>W</b> ► 71787	rPE film transparent glossy (50% PCR)	TC	80 µ
<b>w</b> ▶ 71471	rPE film white glossy (95% PIR)	NTC	85 µ
<b>W</b> ▶ 71432	Data special rPE film white matt (30% PCR)	Clay Coated	100 μ
71201	Inkjet PE film white matt (95% PIR)	pretreated	105 μ
	INKJET FILMS		
<b>W</b> ▶ 70428	Inkjet rPET film transparent glossy (90% PCR)*	Inkjet	50 μ
60960	Inkjet PP film white glossy ECO	Inkjet	55 µ
60063	Inkjet PP film white glossy	Inkjet	58 µ
60943	Inkjet PP film white glossy ECO	Inkjet	75 µ
<b>W</b> ▶ 70318	Inkjet PET white matt	Inkjet	75 µ
<b>W</b> ▶ 70728	Inkjet rPET film transparent glossy (90% PCR)*	Inkjet	80 µ
60373	Inkjet PP film transparent glossy	Inkjet	80 µ
<b>w</b> ▶ 70363	Inkjet rPET film white high-glossy (30% PCR)*	Inkjet	80 µ
<b>w</b> ▶ 70965	Inkjet PET film silver glossy	Inkjet	80 µ
60241	Inkjet special PP film white matt	Inkjet	85 µ

### LASER

For the growing demand in laser printing, VPF has developed an extensive product portfolio, which is perfectly suitable for sheet laser printing as well as oll laser printing. Depending on the printing method (sheet / roll), you can select from our variety of adhesives the one that suits best for your application. Also you can choose the best backing material for your needs.

For roll printing we offer our proven glassine paper and PET liners while a selection of kraft paper of different strengths and properties is available for sheet printing.

**PAPERS** 

FILMS

Page 7

Page 17



#### **TYRES**

For almost no other labelling application, the interaction between adhesive and face material is as crucial as in the labelling of tyres. We are your specialist for tyre adhesives.

VPF supplies adhesive materials for tyre labels, coated with a hot melt adhesive (HM 371 F) for extremely diffcult surfaces, adhesive coating weight adapted to your application. On request we provide these materials with ungummed stripes on the roll edges and both-sided siliconized liners. All this in combination with the wellknown and established face materials like Data Special PE, oil- and grease resistant paper, aluminium barrier foil, Thermal Top, and many more.

**PAPERS** 

**FILMS** 

Page 9 Page 9



CONTINE 7.00 R 16 117/116 L

60190	Inkjet PP film white matt	Inkjet	90 μ
60766	Inkjet PP film white matt	Inkjet	90 μ
60374	Inkjet PP film white semi-glossy	Inkjet	90 μ
60451	Inkjet PP film white high-glossy	Inkjet	90 μ
71802	Inkjet HDPE film white glossy	Inkjet	100 μ
71822	Inkjet Data PE film white matt	Inkjet	105 μ
71201	Inkjet rPE film white matt (95% PIR)*	Inkjet	105 μ
60449	Inkjet special film silver high-glossy	Inkjet	110 μ
71634	Inkjet PE security film white matt, splittable	Inkjet	120 µ
60743	Inkjet special film white matt	Inkjet	127 µ
60580	Inkjet polyester satin	Inkjet	400 μ
* Refers to the	ne base film used.		
	LASER FILMS		
7074	Laser PET film white glossy	TC	50 μ
70622	Laser PET film transparent glossy	TC	50 µ
70953	Laser PET film silver matt	TC	55 µ
70001	Laser PET film white matt	TC	60 µ
60606	Laser PP film white matt UV-stabilized, back side black	TC	100 μ
<b>№</b> 60336	Laser PP film white matt	TC	100 μ
70738	Laser PET film white matt	TC	107 μ
200	Acetate silk white	NTC	160 µ
	SECURITY MATERIALS		
<b>7</b> 0952	PET film transparent glossy hologram VOID	TC	36 μ
70548	VOID PET film transparent semi-glossy fluorescence	TC	36 μ
70541	PET security film transparent glossy VOID	TC	40 μ
70529	PET security film white glossy VOID	TC	40 μ
70538	PET security film silver glossy CHECKERBOARD	TC	40 μ
<b>7</b> 0539	PET security film silver glossy VOID	TC	40 μ
70880	PET security film silver glossy hologram VOID	TC	43 µ
<b>7</b> 0443	PET security film silver matt DRY-PEEL VOID	TC	50 μ
60949	PP film transparent glossy VOID	TC	50 µ
<b>№</b> 70970	OPP film white glossy VOID	TC	50 µ
72704	Acrylate security film transparent glossy ultra destructible	NTC	50 μ
72706	Acrylate security film white matt ultra destructible	NTC	50 μ
<b>№</b> 70490	PET security film silver matt CHECKERBOARD	TC	50 μ
70110	PET security film silver matt VOID	TC	50 μ
5570S940	PET security film white matt DIAMOND	TC	50 μ
5560S742	PET security film silver matt DIAMOND	TC	50 μ
71639	PE security film white matt splittable	Clay Coated	109 µ
71634	Inkjet PE security film white matt splittable	Inkjet	120 µ

DURA	BLES PROGRAMME					
ART. NO.	DESCRIPTION	ADHESIVE	LINER	INKJET	LASER	TTR*
	BS 5609 SEAWATER RESISTANT ADHESIVE M	ATERIALS				Á
70739	Special PET film white matt 55 μ, DURA TC	HM 716 UV 32 g/m <sup>2</sup>	B800-473 double sided siliconized glassine papier white 80 g/m <sup>2</sup>			•
60743	Inkjet special film white matt 127 µ	HM 347 30 g/m <sup>2</sup>	B700-473 Glassine white 63 g/m <sup>2</sup>	•		
60241	Inkjet Special PP film white matt 85 µ	HM 347 30 g/m <sup>2</sup>	B700-473 Glassine white 63 g/m²	•		
60606	Laser PP film white matt $100\mu$ , back side black	HM 709 UV 40 g/m <sup>2</sup>	NSA1400N Kraft liner white 138 g/m²		•	•
71095	Data special PE film white matt 95 µ	HM 347 30 g/m <sup>2</sup>	B700-473 Glassine white 63 g/m²			•
	UL CERTIFIED ADHESIVE MATERIALS					لمم
19448	70232 PE film white glossy 50 µ MH49843	HM 717 UV 35 g/m <sup>2</sup>	B700-473 Glassine white 63 g/m²			•
24444	70287 PE film white matt $55\mu$ TC MH49843	HM 710 UV 25 g/m <sup>2</sup>	B700-473 Glassine white 63 g/m²			•
24687	70972 PE film silver matt 50 µ TC MH49843	HM 710 UV 25 g/m <sup>2</sup>	B700-473 Glassine white 63 g/m²			•
24688	70972 PE film silver matt 50 $\mu$ TC MH49843	HM 717 UV 35 g/m <sup>2</sup>	B700-473 Glassine white 63 g/m²			•
	SUSTAINABLE ADHESIVE MATERIALS					
70605	rPET film white matt 50 $\mu$ TC (25 % PCR)	HM 716 UV 32 g/m <sup>2</sup>	Siliconized rPET film transparent 30 µ (90% PCR)		•	•
70672	rPET film transparent glossy 50 μ TC (90% PCR)	HM 716 UV 32 g/m <sup>2</sup>	Siliconized rPET film transparent 30 µ (90% PCR)			•
	LAMINATE FILM					Á
70737	UV protection laminate polyester transparent glossy 19 $\mu$	HM 740 UV 25 g/m <sup>2</sup>	B700-473 Glassine white 63 g/m²			

\* TTR = Thermal transfer printing

ART. NO.	SERVICE TEMPERA- TURE	INTIAL TACK • = LOW •••• = HIGH	FINAL ADHESION • = LOW •••• = HIGH	SHEAR STRENGTH • = LOW •••• = HIGH	PROPERTIES / APPLICATIONS
551	-20°C to +80°C	•••	•••	••••	Certified for paper recycling in combination with specified paper face materials. The adhesive can be separated from the face material during the recycling process without residue.
925	-40°C to +80°C	•••	••••	••	Specially suitable for apolar surfaces, cardboard corrugated cardboard, etc. High adhesion with good die-cuttability, can be used for filmic and paper labelstock as well as PVC. ISEGA-certified for direct food contact*.
927	-20°C to +80°C	•••	••••	••	Universally applicable adhesive for paper label- stock, ISEGA-certified for direct food contact*, high adhesion.
931	-20°C to +80°C	•••	•••	••••	Suitable for paper and film labels. Very good adhesion values, high cohesion and high transparency. For applications on tight radii or textile-lik surfaces. ISEGA-certified for direct food contact
933	-20°C to +120°C	••	••	••••	Excellent water resistance with low whitening. High transparency and UV resistance. High cohesion, good die-cuttability. ISEGA-certified for direct food contact*.
936	-40°C to +80°C	••••	••••	•	Excellent adhesion, especially for paper label- stock, for difficult substrates. Also available in black coloured. ISEGA-certified for direct food contact*.
951	-40°C to +50°C	••	•••	•	Deep-freeze adhesive, especially for slightly moist surfaces, as well as cold surfaces down to - 20°C, good water resistance, suitable for wine labels, ISEGA-certified for direct food contact*.
958	-40°C to +80°C	•••	•••	••••	Allround-adhesive, high adhesion and high shea strength, good die-cutting properties, excellent cohesion, suitable for tight radii, ISEGA-certified for direct food contact*. Also available as lumine scent version.
972	-75°C to +70°C		•••	•••	ISEGA certified for direct food contact* as well as the labelling of beef and blood bags (DIN ISO 3826). High transparency, good UV resistance, for film and paper print media. Application from -5°C, even on slightly moist surfaces.
980	-20°C to +120°C		•••	••••	Allround adhesive for filmic labels, very high hear resistance, complies with European Toy Safety Standard EN 71-3, ISEGA-certified for direct foot contact*, very high shear strength and high transparency. Also available as luminescent version.
Opaque	Each emulsion ac	crylic adhesive is	available in a da	rk or individually	y coloured version, according to customer requirements

ADHESIVES – WATERBASED ACRYLICS, REMOVABLE						
ART. NO.	SERVICE TEMPERA- TURE	INTIAL TACK • = LOW • • • = HIGH	FINAL ADHESION • = LOW •••• = HIGH	SHEAR STRENGTH • = LOW •••• = HIGH	PROPERTIES / APPLICATIONS	
908	-20°C to +80°C	•	•	••	Universal removable adhesive for paper labels, ISEGA-certified for direct food contact*, high UV resistance. Variation 908/10 suitable for thermal paper.	
913	0°C to +110°C	•	•	••••	Ultra removable adhesive for filmic labels and application on plastic surfaces.Good UV and heat resistance.	
915	-40°C to +80°C	••	٠	••	Removable adhesive, especially for filmic label- stock. Good adhesion even on difficult surfaces, good ageing resistance. ISEGA-certified for direct food contact*.	
987	0°C to +70°C	•	••	••••	Universally suitable for film and paper labelstock, high transparency, very high shear strength, suitable for PVC.	
* ISEGA cer	tificates on reque	est.				

ART. NO.	SERVICE TEMPERA- TURE	INTIAL TACK • = LOW •••• = HIGH	FINAL ADHESION • = LOW •••• = HIGH	SHEAR STRENGTH • = LOW •••• = HIGH	PROPERTIES / APPLICATIONS
HM 347	-40°C to +65°C	••••	••••	•••	Allround adhesive (conventional synthetic rubber with excellent adhesion and high shear resistance, with good die-cuttability, suitable for pape and film labelstock, for difficult and slightly mois substrates, ISEGA-certified for direct food contact*, as well as seawater resistant according to BS 5609, Section 2. Available in coating weigths from 12–100 g/m².
НМ 357	-40°C to +80°C	••••	••••	••••	Highly transparent special adhesive (conventional synthetic rubber) with excellent adhesion and high shear resistance, with very good diecuttability. Suitable for paper and film labelstock especially for rough, structured and apolar surfaces. For direct food contact* on dry, moist, nongreasy surfaces. Reach compliant and certified to BS 5609, Sect. 2. Available in coating weights from 19 – 60 g/m².
HM 371 F	-40°C to +50°C	••••	••••	•	Specialty adhesive (conventional synthetic rubber) for labelling of extremely difficult surfaces, especially tyres, wood, jute bags etc. Raw materials approved for indirect food contact according to FDA 21-CFR-175.105, available in coating weights from 12 – 80 g/m², on request as well with adhesive-free strips on the roll edges.
HM 709 UV	-40°C to +160°C			••••	Allround adhesive (UV acrylic hotmelt), resistant to temperature-, chemical- and weather-resistant (UV resistant), ISEGA-certified for direct food contact*, as well as seawater resistant according to BS 5609, Section 2., suitable for all paper and filmic labelstock, available in coating weights from 12–50 g/m².

HM 710 UV	-40°C to +160°C	••	•••	••••	Similar properties as HM 709 UV, with increased coating weigths of 25 g/m <sup>2</sup> . UL-registered for different applications.
HM 716 UV	-40°C to +160°C	•••	••••		Specialty adhesive (UV acrylic hotmelt), temperature-, chemical- and weather-resistant (UV resistant). Aggressively adhesive, available in overgrammages up to 35 g/m², specially developed for security applications. ISEGA certified for direct food contact*.
HM 717 UV	-40°C to +160°C	•••	••••	••	Similar properties as HM 716 UV, with increased coating weigths of 35 g/m <sup>2</sup> . UL-registered for different applications.
₩ HM 740 UV	-40°C to +160°C		•••	••••	Allrounder adhesive (UV acrylic hotmelt), resistant to temperature-, chemical- and weather-resistant (UV resistant). Strong adhesion, suitable for paper and film labelstock, available with increased coating weight up to 35 g/m <sup>2</sup> . ISEGA-certified for direct food contact*.

ART. NO.	SERVICE	INTIAL	FINAL	SHEAR	PROPERTIES / APPLICATIONS	
,	TEMPERA- TURE	TACK • = LOW •••• = HIGH	ADHESION • = LOW •••• = HIGH	STRENGTH • = LOW •••• = HIGH		
602	-20°C to +80°C	•	••	•	Special adhesive for paper face materials, for release in water baths or industrial dishwashers at a minimum of 70°C and 1% alkali.	
989	-0°C to +120°C	••	••	••••	Semi-permanent waterbased acrylic adhesive, good heat resistance, re-positionable properties. ISEGA certified for direct food contact*.	
HM 725 U	-20°C to +100°C	••	••	••••	Special adhesive (UV acrylic hotmelt) for film fac- materials, for release in water baths or industrial industrial dishwashers at a minimum of 70°C and 1% alkali.	
HM 728 U	-40°C to +120°C	••	••	••	Removable UV acrylic adhesive, specially developed for wet-wipes/resealable labels, temperature chemical- and weather-resistant (UV resistant).	
Hotseal	-0°C to +40°C	-	••••	-	Water-based heatseal dispersion. Sealable from temperatures of 95°C and above, no blocking at temperatures of below 40°C, used for closure labels of coffee and biscuit packaging. Coated facestocks are finished linerless. Operating width = 990 mm.	
PET car remains		PET carrier. A remains com	Specialty coating of paper and filmic substrates, always in combination with a transparent PET carrier. After removal from the PET carrier, the dry peel label loses its adhesion, and remains completely non-sticky. Specially developed for hang tags, or integrated labels or coupons. Operating width = 994 mm.			
PET carrier. T			ating mainly for paper facestocks, always in used in combination with a paper or The facestock splits in full from the adhesive upon removal. Adhesive layer (opaquent) nt) remains non-sticky on the surface. Operating width = 990 mm.			
Transfer adhesive		On request, all adhesives are as well available as transfer adhesives (free film), in general between two siliconized liners.				
Adhesive-free zones (gum patterns)		All adhesives are as well available on request with adhesive free stripes in running direction.				

ART. NO.	GRAMMAGE THICKNESS	COLOR	GRADUATED RELEASE VALUES 460 = VERY EASY 473 = EASY 476 = MEDIUM 477 = HIGH 641 = VERY HIGH	PROPERTIES / APPLICATIONS
	GLASSINE LINERS	5		
B480	48 g / 43 μ	yellow	473	Supercalendered glassine paper, one side siliconized with 15 % recycling content. For reelfed label applications with automatic dispensing.
B560	56 g / 49 μ	white, yellow	473 / 476	Supercalendered glassine paper, one side siliconized. For reel-fed label applications with automatic dispensing.
B700	62 g / 55 μ	white yellow	473 / 476 / 705 473 / 476 / 641	Supercalendered glassine paper, one side siliconized. For reel-fed label applications with automatic dispensing.
B700 dps	65 g / 54 μ	white, yellow	473 on both sides 476 on both sides	Double side siliconized glassine paper, supercalendered, for automatic dispensing of labels with increased coat weight.
B800	81 g / 69 μ	white	473 / 476	One side siliconized glassine paper, supercalendered, with increased tear resistance for automatic dispensing.
B800 dps	82 g / 69 µ	white	473 on both sides	Double-sided siliconized glassine paper, for automatic application of labels with higher adhesive application weight.
	KRAFT LINERS			
NSA500	50 g / 58 μ	white	476	One side siliconized Kraft liner, for manuell dispensing. Suitable for sheets.
NSA850	87 g / 88 μ	white	476	One side siliconized Kraft liner, for manuell dispensing. Suitable for sheets. Good lay-flat properties.
NSA1100	98 g / 103 µ	white	473 / 477	One side siliconized Kraft liner, for manuell dispensing. Suitable for sheets. Very good lay-flat properties.
NSA1250 flat	125 g / 116 µ	white	476	One side siliconized Kraft liner, for manuell dispersing. Suitable for sheets. Best lay-flat properties.
NSA1400 N	136 g / 141 µ	white	476	One side siliconized Kraft liner, for excellent lay-flat properties.
	FILMIC LINERS			
PET23	32 g / 23 μ	transparent	473 / 476	One side siliconized, transparent PET film, tear resistant, for automatic high-speed dispensing and nolabel-look applications.
PET30	42 g / 30 μ	transparent	460 / 473 / 476	One side siliconized, transparent PET film, tear resistant, for automatic high-speed dispensing and nolabel-look applications.
PET30 dps	42 g / 30 μ	transparent	473 on both sides	Double-sided siliconized, transparent PET film, tear resistant, for automatic high-speed dispensing.
PET36	50 g / 36 μ	transparent	473	One side siliconized, transparent PET film, tear resistant, for automatic high-speed dispensing and nolabel-look applications.

	PET50	70 g / 50 μ	transparent	473	One side siliconized, transparent PET film, tear resistant, for automatic high-speed dispensing and nolabel-look applications.
	new	SUSTAINABLE LIN	IERS		
new	rPET30	42 g / 30 μ	transparent	473	One side siliconized, transparent rPET film with 90% recycling content from PCR (Post Consumer Recycling), for automatic high-speed dispensing.
new	NSA700	70 g / 90 μ	white	476	Sustainable Kraft liner with 70% recycling content.

#### **CONTRACT COATING**

Our customers profit from our broad portfolio, which makes it possible to realise practically all their wishes. Almost any combination of materials and adhesives can be produced. For customer-supplied facestocks, adhesives or release liners, we are happy to perform contract coating of all kinds.

- ► Adhesive-free zones / widths as individually specified
- ► More than 30 different specialty adhesives
- ► On Europallets or non-returnable pallets

Quality, flexibility and customer-orientation are integral to our company philosophy.

#### Special coating runs:

- ► Ready for delivery within a few working days
- ▶ In sheets up to 100 x 95 cm
- ► Small minimum order quantities

TECHNICAL DATA / CONTRACT COATING				
Contract coating:	<ul><li>▶ Dispersion acrylates</li><li>▶ Conventional hotmelts</li><li>▶ UV acrylic hotmelts</li></ul>			
Roll width, raw material (unwinding):	Standard 1.020 mm (special widths on request)			
Coating width / working width:	1.000 mm			
Roll cores:	76 and 152 mm			
Roll diameter on arrival:	Maximum 1.000 mm			
Roll diameter for delivery:	Maximum 800 mm			
Narrow roll width:	At least 50 mm			
Material thicknesses:	12 – 500 μ			
Adhesives coating weights:	8-12 g/m², 16-25 g/m² (dispersion) 12-100 g/m² (hotmelt) 12-50 g/m² (UV acrylat)			
Colouring of adhesives:	Only possible with dispersion acrylates – black, grey, coloured, luminescent			
Adhesive-free stripes:	At least 6 mm wide, only in machine direction			

Please understand that we can only give an overview of our most important product variants here. If you have any further requests, our experts will be glad to help.





LinkedIn

Website

VPF GmbH & Co. KG Harkortstraße 14–16 45549 Sprockhövel Germany Phone: +49 (0)2339 1205-0 Fax: +49 (0)2339 1205-50

Email: info@vpf.de

www.vpf.de

► More than 500 facestocks

► Over 30 specialty adhesives

► Graduated release values

► Low minimum quantities



All the information provided about our products does not represent an assurance of certain properties and constitute average values and reflect our current experiences. It is the responsibility of the operator to determine whether the product is suitable for the intended use under the application-related influences. We only assume liability for our products in accordance with our general sales conditions, unless agreed otherwise. We reserve the right to technical modifications any time. Version: 02/2025

